

MUFARO Tour INSTRUMENT SCHEDULE

MUFARO tour.lw5

Directed by Robyn Flatt
Lighting Design by Linda Blase

8/28/16

Master Electrician: John Moss

TABLE OF CONTENTS

USR boom	1	SL Boom	6
USL Boom	1	DSL Boom	6
Second Beam	1	First Beam	7
Second Electric	2	Floor	8
HR Cove	3	On Set	8
HL Cove	3	Fourth Electric	9
First Electric	4	SR Boom	9
Third Electric	5	DSR Boom	9
		Ceiling	9

MUFARO Tour INSTRUMENT SCHEDULE

Page 1 of 9

MUFARO tour.lw5

8/28/16

Directed by Robyn Flatt
Lighting Design by Linda Blase

Master Electrician: John Moss











USR boom

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
1	USR panel breakup	Source 4 26deg+S4 A-TempH* 750w	N/C	R77732		(94)

USL Boom

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
1	USL panel breakup	Source 4 26deg+S4 A-TempH* 750w	N/C	R77732		(95)

Second Beam

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
1	Area 5 FOH SL	Source 4 26deg 750w	 R60+ R119	-		(15)
2	Area 4 FOH SL	Source 4 26deg 750w	 R60+ R119	-		(14)
3	Area 3 FOH SL	Source 4 26deg 750w	 R60+ R119	-		(13)
4	Area 2 FOH SL	Source 4 26deg 750w	 R60+ R119	-		(12)
5	DS Leaf Gobo	Source 4 19deg+S4 A-TempH* 750w	N/C	R79117		(60)
6	Area 1 FOH SL	Source 4 26deg 750w	 R60+ R119	-		(11)
7	Area 5 FOH SR	Source 4 26deg 750w	 R02+ R119	-		(5)
8	DS Leaf Gobo	Source 4 19deg+S4 A-TempH* 750w	N/C	R79117		(60)
9	Area 4 FOH SR	Source 4 26deg 750w	 R02+ R119	-		(4)
10	Area 3 FOH SR	Source 4 26deg 750w	 R02+ R119	-		(3)
11	Area 2 FOH SR	Source 4 26deg 750w	 R02+ R119	-		(2)
12	Area 1 FOH SR	Source 4 26deg 750w	 R02+ R119	-		(1)













MUFARO Tour INSTRUMENT SCHEDULE

Page 2 of 9

MUFARO tour.lw5

8/28/16

Second Electric

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
1	Mid SL cross breakup	Source 4 36deg+S4 A-TempH* 750w	 R60	R77119		(73)
2	Amber downlight DSL	65Q 6" Fres 750w	 R302	-		(35)
3	Blue downlight DSL	65Q 6" Fres 750w	 R68	-		(25)
4	Amber downlight DSLC	65Q 6" Fres 750w	 R302	-		(34)
5	Blue downlight DSLC	65Q 6" Fres 750w	 R68	-		(24)
6	Rock	S4 PAR MFL 575w	N/C	-		(99)
7	Amber downlight DSC	65Q 6" Fres 750w	 R302	-		(33)
8	Blue downlight DSC	65Q 6" Fres 750w	 R68	-		(23)
9	Special 4	Source 4 36deg 750w	N/C			(97)
10	Amber downlight DSRC	65Q 6" Fres 750w	 R302	-		(32)
11	Blue downlight DSR C	65Q 6" Fres 750w	 R68	-		(22)
12	Amber downlight DSR	65Q 6" Fres 750w	 R302	-		(31)
13	Blue downlight DSR	65Q 6" Fres 750w	 R68	-		(21)
14	Mid SR cross breakup	Source 4 36deg+S4 A-TempH* 750w	 R60	R77119		(63)









MUFARO Tour INSTRUMENT SCHEDULE

Page 3 of 9









MUFARO tour.lw5

8/28/16

HR Cove

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
1	SR breakup from SL	Source 4 26deg+S4 A-TempH* 750w	 R60	R77732		(71)
2	SL breakup from SL	Source 4 36deg+S4 A-TempH* 750w	 R60	R77732		(71)
3	Night breakup SR	Source 4 26deg+S4 A-TempH* 750w	 R64	R77732		(75)
4	Night breakup SL	Source 4 36deg+S4 A-TempH* 750w	 R64	R77732		(75)
5	Day diagonal wash SR from SL	Source 4 26deg 750w	 R08+ R132	-		(51)
6	Day diagonal wash SL from SL	Source 4 36deg 750w	 R08+ R132	-		(51)
7	Night iagonal wash SR from SL	Source 4 26deg 750w	 R64+ R132	-		(55)
8	Night iagonal wash SL from SL	Source 4 36deg 750w	 R64+ R132	-		(55)

HL Cove

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
1	SR breakup from SR	Source 4 36deg+S4 A-TempH* 750w	 R60	R77732		(61)
2	SL breakup from SR	Source 4 26deg+S4 A-TempH* 750w	 R60	R77732		(61)
3	Night breakup SR	Source 4 36deg+S4 A-TempH* 750w	 R64	R77732		(65)
4	Night breakup SL	Source 4 26deg+S4 A-TempH* 750w	 R64	R77732		(65)
5	Cool diagonal wash SR from SR	Source 4 36deg 750w	 R53+ R132	-		(41)
6	Cool Diagonal wash SL from SR	Source 4 26deg 750w	 R53+ R132	-		(41)
7	Night diagonal wash SR from SR	Source 4 36deg 750w	 R56+ R132	-		(45)
8	Night diagonal wash SL from SR	Source 4 26deg 750w	 R56+ R132	-		(45)






MUFARO Tour INSTRUMENT SCHEDULE

Page 4 of 9

MUFARO tour.lw5

8/28/16

First Electric

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
1	Far DSL cross light	Source 4 36deg 750w	 R08+ R119			(110)
2	DSL cross breakup	Source 4 36deg+S4 A- TempH* 750w	 R60	R77119		(72)
3	Tree Trunk	S4 PAR MFL 575w	 R02	-		(98)
4	DSR cross breakup	Source 4 36deg+S4 A- TempH* 750w	 R60	R77119		(62)
5	Far DSR cross light	Source 4 36deg 750w	 R53+ R119			(109)

MUFARO Tour INSTRUMENT SCHEDULE

Page 5 of 9

MUFARO tour.lw5

8/28/16

Third Electric

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
1	USL cross breakup	Source 4 36deg+S4 A-TempH* 750w	 R60	R77119		(74)
2	USC SL side	Source 4 36deg 750w	 R08	-		(79)
3	Amber downlight USL	65Q 6" Fres 750w	 R302	-		(40)
4	Blue downlight USL	65Q 6" Fres 750w	 R68	-		(30)
5	Scenery breakup	Source 4 36deg+S4 A-TempH* 750w	 R89	R77126		(76)
6	Rock downlight	65Q 6" Fres 750w	N/C	-		(87)
7	Amber downlight USLC	65Q 6" Fres 750w	 R302	-		(39)
8	Blue downlight USRC	65Q 6" Fres 750w	 R68	-		(29)
9	Scenery breakup	Source 4 36deg+S4 A-TempH* 750w	 R90	R77126		(77)
10	Amber downlight USC	65Q 6" Fres 750w	 R302	-		(38)
11	Blue downlight USC	65Q 6" Fres 750w	 R68	-		(28)
12	Scenery breakup	Source 4 36deg+S4 A-TempH* 750w	 R89	GAM 217		(67)
13	Amber downlight USRC	65Q 6" Fres 750w	 R302	-		(37)
14	Blue downlight USRC	65Q 6" Fres 750w	 R68	-		(27)
15	Scenery breakup	Source 4 36deg+S4 A-TempH* 750w	 R93	GAM 217		(66)
16	Amber downlight USR	65Q 6" Fres 750w	 R302	-		(36)
17	Blue downlight USR	65Q 6" Fres 750w	 R68	-		(26)
18	USC SR side	Source 4 36deg 750w	 R53	-		(78)
19	USR cross breakup	Source 4 36deg+S4 A-TempH* 750w	 R60	R77119		(64)





MUFARO Tour INSTRUMENT SCHEDULE

Page 6 of 9





MUFARO tour.lw5

8/28/16

SL Boom

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
1	Cool US side wash	Source 4 26deg 575w	 R64+ R119	-		(104)
2	Side breakup SL	Source 4 26deg 575w	 R60	R77732		(108)
3	Warm SL low cross light	PAR 64 MFL 1kw	 R08	-		(54)
4	Amber low side wash SL	PAR 64 MFL 1kw	 R18	-		(58)

DSL Boom

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
1	Cool DS side wash	Source 4 26deg 575w	 R64+ R119	-		(103)
2	Side breakup DSL	Source 4 26deg+S4 A-TempH* 575w	 R60	R77732		(107)
3	Warm low side DSL	PAR 64 MFL 1kw	 R08	-		(53)
4	Amberlow side DSL	PAR 64 MFL 1kw	 R21	-		(57)





















MUFARO Tour INSTRUMENT SCHEDULE

Page 7 of 9

MUFARO tour.lw5

8/28/16

First Beam

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
1	Area 9 FOH SL	Source 4 26deg 750w	 R60+ R119	-		(19)
2	Area 8 FOH SL	Source 4 26deg 750w	 R60+ R119	-		(18)
3	USC FOH SL	Source 4 19deg 750w	 R60+ R119	-		(50)
4	Diagonal wash DSC from SL	Source 4 26deg 750w	 R53+ R119	-		(52)
5	Tree trunk FOH SL	Source 4 26deg 750w	 R60+ R119	-		(89)
6	Area 7 FOH SL	Source 4 26deg 750w	 R60+ R119	-		(17)
7	Area 10 FOH SL	Source 4 26deg 750w	 R60+ R119	-		(20)
8	Area 6 FOH SL	Source 4 26deg 750w	 R60+ R119	-		(16)
9	Rock front	Source 4 19deg 750w	 R119	-		(86)
10	Special 3 (DSLCL)	Source 4 19deg 750w	 R119	-		(93)
11	DSC front fill	Source 4 26deg 750w	 R51+ R119	-		(80)
12	Special 2 (DSC)	Source 4 19deg 750w	 R119	-		(92)
13	Tree Trunk FOH SR	Source 4 26deg 750w	 R02+ R119	-		(88)
14	Special 1 (DSRC)	Source 4 19deg 750w	 R119	-		(91)
15	Area 10 FOH SR	Source 4 26deg 750w	 R02+ R119	-		(10)
16	Area 6 FOH SR	Source 4 26deg 750w	 R02+ R119	-		(6)
17	Area 9 FOH SR	Source 4 26deg 750w	 R02+ R119	-		(9)
18	Diagonal wash DSC from SR	Source 4 26deg 750w	 R53	-		(42)
19	USC FOH SR	Source 4 19deg 750w	 R02+ R119	-		(49)
20	Area 8 FOH SR	Source 4 26deg 750w	 R02+ R119	-		(8)


MUFARO Tour INSTRUMENT SCHEDULE

Page 8 of 9







MUFARO tour.lw5

8/28/16

First Beam

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
21	Area 7 FOH SR	Source 4 26deg 750w	 R02+ R119	-		(7)










Floor

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
1	Warm uplight SL	65Q 6" Fres 750w	 R318	-		(56)
2	Dance Diagonal	65Q 6" Fres 750w	 R02	-		(96)
3	SLC uplight amber	Industrial worklight 500w	 R19	-		(70)
4	C uplight	Industrial worklight 500w	 R41	-		(69)
5	SRC uplight	Industrial worklight 500w	 R68	-		(68)
6	Warm uplight SR	65Q 6" Fres 750w	 R18	-		(46)





On Set

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
1	Panel 7 uplight	PAR in single base 75w	N/C	-		(90)
2	Panel 6 uplight	PAR in single base 75w	N/C	-		(90)
3	Panel 5 uplight	PAR in single base 75w	N/C	-		(90)
4	Panel 4 uplight	PAR in single base 75w	N/C	-		(90)
5	Panel 3 uplight	PAR in single base 75w	N/C	-		(90)
6	Panel 2 uplight	PAR in single base 75w	N/C	-		(90)
7	Panel 1 uplight	PAR in single base 75w	N/C	-		(90)





Fourth Electric

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
1	Cyc- SL blue	Sky Cyc 1 Cell 1kw	 R125	-		(83)
2	Cyc SL red	Sky Cyc 1 Cell 1kw	 R120	-		(85)
3	Cyc SLC blue	Sky Cyc 1 Cell 1kw	 R125	-		(83)
4	Cyc SLC red	Sky Cyc 1 Cell 1kw	 R120	-		(85)
5	Cyc C blue	Sky Cyc 1 Cell 1kw	 R125	-		(82)
6	Cyc SRC red	Sky Cyc 1 Cell 1kw	 R120	-		(84)
7	Cyc SRC blue	Sky Cyc 1 Cell 1kw	 R125	-		(81)
8	Cyc SR red	Sky Cyc 1 Cell 1kw	 R120	-		(84)
9	Cyc-SR Blue	Sky Cyc 1 Cell 1kw	 R125	-		(81)

SR Boom

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
1	Color Side SR	Source 4 26deg 750w	 R56+ R119			(102)
2	Side breakup SL	Source 4 26deg+S4 A-TempH* 750w	 R60	R77732		(106)
3	Cool SR low cross light	PAR 64 MFL 1kw	 R53			(44)
4	SR panel color	PAR 64 MFL 1kw	 R395			(48)

DSR Boom

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
1	Color Side DSR	Source 4 26deg 750w	 R56+ R119			(101)
2	Side breakup DSR	Source 4 26deg+S4 A-TempH* 750w	 R60	R77732		(105)
3	Cool low side DSR	PAR 64 MFL 1kw	 R53+ R119			(43)
4	Amber low side DSR	PAR 64 MFL 1kw	 R21			(47)

Ceiling

U#	Purpose	Type & Acc & W	Color	Gobo	Dim	Channel
	House Lights	Unknown				(100)